

MESA DAY CONTEST RULES 2015-2016

Balsawood Model Airplane

LEVEL:		grades 9-12			
TYPE OF CONTEST:		Team			
COMPOSITION OF TEAM:		1 - 2 students per			
NUMBER OF TEAMS:		3 teams per Center			
SPONSOR:		David Braunstein, CSULB MESA			
OVERVIEW:	Students will design and build a rubber band-powered model airplane made predominantly of balsa wood which may be covered with tissue paper or similar material, which will be hand-launched indoors or outdoors. The goal of the contest is to keep the model aloft for the longest period of time.				
MATERIALS:	The following model airplane	are the ONLY materials that may be used to build the e.			
	 Balsa woo Wood dow Tissue pap covering m 5 ¹/₂" (14 c rubber (be the studen only for th Rubber ba Glue, any Pins, steel Modeling Paint, sticl decoration 	d vel or stick er (available from hobby shops), Saran wrap or equivalent naterial m.) commercially made propeller and 16 ¹ / ₂ " (42 cm.) x 1/8" x 1/16" oth commercially supplied) OR a propeller designed and made by t(s) using the same rubber power. The propeller size is restricted e commercial one. nd lubricant (see note under 'Starting Point') type wire, and thread Clay ters, decals, markers and ink may be used as needed for or for identification			

STARTING POINT:

As this is a new competition, it is recommended that students practice with a commercially available kit, the AMA Cub, which can be obtained from the Academy of Model Aeronautics, 5161 E. Memorial Drive, Muncie, IN 47302, tel: 765-287-1256, <u>www.modelaircraft.org</u>. The kits can be obtained in batches of 35 for \$42, i.e. just over \$1 each, and are specifically designed for student purposes. Each kit includes the materials for building the model airplane, and a 5 ¹/₂" propeller and a rubber band strip,

16 ¹/2" x 1/8" x1/16".

The propellers and rubber band strip are identical to those listed above. They can be obtained individually from Sig Manufacturing Company, Inc., P.O. Box 520, Montezuma, Iowa, 50171-0520, tel: 641-623-5154, <u>www.sigmfg.com</u>. The propellers, part number SIGMFGPA550, cost \$42 for 100. Batches of six cost \$5.45, so it is clearly advantageous to have these purchased by University centers and distributed to schools. Similarly, the prescribed rubber band for the power source can be purchased in 25 foot- or 50 foot-lengths, part numbers SIGSR25 and SIGSR50, for \$4.69 and \$7.49 respectively. The rubber band motor will be more effective if it is lubricated. Experts have traditionally used a mixture of glycerin and green soap, and more recently a silicone emulsion such as Armor All.

It is recommended that the students build and fly the AMA Cub models, and then use the propellers and rubber band motors from those kits in their own design model airplanes unless they are designing and building their own propeller. **Note that neither the AMA Cub nor any other kit-made model may be used in the competition.** In order to keep the playing fields as level as possible for all competitors, it will be a requirement that only the prescribed propellers or the student produced propellers and the rubber band motors be used. This will be an important aspect of the judging.

RULES:

- 1) No ready-made kits are allowed. Each model airplane should be designed, constructed, launched and repaired by contestants.
- 2) There is no restriction on the size or weight of the model airplane.
- 3) Any model airplane that incorporates additional materials not mentioned above will be disqualified.
- 4) A scale plan rendering should accompany the model for evaluation. It should include a three- view drawing that includes the major dimensions of the model airplane in metric units and shows the structure of the model and scale used. The use of CAD is encouraged; however, points will not be deducted if the rendering is hand-drawn, but not freehand. If there is no drawing or if the drawing is freehand, 2 seconds will be deducted from the total flight time. The plan rendering should also state the names of the contestants, their school, grade, MESA center and scale used. This example is for a more complicated model, but should give the students and the judges some idea of what we are looking for.



- 5) The contestant's name(s), school, and center should be clearly visible on the model airplane. They should be identified using a sharpie pen or equivalent. Do not use a separate tie-on label, as this will be considered to be a part of the model when it is turned in for judging. Failure to correctly identify the model as noted will result in a 10% deduction from the final score as calculated in item 12 of 'Judging'.
- 6) The model airplane should be competition-ready when turned in for inspection at MESA Day. No modifications to the model or removals or additions are allowed after it is submitted to the judges for inspection. The design drawing should be submitted for judging at the time the model is inspected.
- 7) The model airplane should be ready to be launched within 30 seconds of being called by the judges. As winding the rubber band motor may take longer than 30 seconds, it is recommended that contestants have the model ready to be launched prior to their flight call.
- 8) The propeller/rubber band motor provided by the center must be hand wound without mechanical assistance.
- 9) The model airplane will be launched by a team member. He or she will release the airplane from the judging area in any direction and at any angle he or she prefers.
- 10) The release height of the model airplane shall not exceed six feet above ground level as measured by a stick held vertically next to the contestant during launch. Launches above six feet shall be counted as an unscored launch, thereby reducing the number of scored launches.
- 11) The contestant releases the model after being given the "OK" from the official timer. Timing starts as soon as the model is released and stops when the model airplane hits the ground or comes to rest against any obstruction.
- 12) Each model is given three (3) launches. The winning model is determined by the following formula:
 - longest flight time + second longest flight time + plan rendering =score

13) Repairs are allowed between flights. However, no changes may be made to the basic design of the model airplane once the competition is under way. Repairs shall be made by the contestants only.

EVENT MANAGEMENT:

- 1) Once an entry has been registered it may not be altered or repaired to meet technical inspection.
- 2) No part(s) of the model airplane may be removed or added after the specification check has occurred. No backup models will be allowed. No tools or materials will be supplied at MESA Day except a specified rubber motor.
- 3) The propeller and rubber band motor should be as prescribed in the 'materials' and 'starting points'.
- 4) The center will provide a new prescribed rubber motor after the airplane has passed inspection. The original rubber motor on the plane will be collected by the judges at this time.
- 5) Each team will be allowed three non-consecutive launches. Each model should be ready for competition when called. The model should be launched within 30 seconds of being called or contestants will forfeit that launch. As winding the rubber band motor may take longer than 30 seconds, the judges should give all contestants sufficient advance notice of their ready time that they can achieve this time comfortably. Typically, contestants should be warned a couple of places ahead of their actual flights. Three stopwatches will be used by three judges for timing flights. The flight time will be determined by taking the middle value of the three times.
- 6) The judges will determine where the launching site should be. They will ensure that there is sufficient space available that the model airplanes can circle and fly downwind without hitting obstructions. Typical dimensions might be a thirty meter radius circle, and eighty meters downwind.
- 7) Spectators should not be allowed within the flight area at any time during the competition.
- 8) In the event of a tie, the model airplane with the longer single flight time will be the winner.
- 9) Times will be recorded to the nearest hundredth second.
- 10) Scoring the rendered plan will be based on the following rubric:

 Three- View	Metric Measurements	Proper Labeling	Rendering Quality	Rating	Points (second
	\checkmark	\checkmark		Superior 4/4	2
\checkmark		\checkmark		Good 3/4	1
\checkmark				Adequate 2/4	0
\checkmark				Inadequate 1/4	-1
				NONE	-2

11) Overall scoring is determined from this formula:longest flight time in seconds + second longest flight time in seconds + rendered plan score

AWARDS: Awards will be given for 1^{st} , 2^{nd} and 3^{rd} place for 9/10 and 11/12 grades.

CHECKLIST:

Model made of materials as listed

Propeller and rubber band motor are as required by rules

Rendered plan has three-view showing construction; all metric measurements; scale

Model and plans are properly labeled with names, school, grade and MESA center.