

MESA DAY CONTEST RULES 2024-2025

(FINAL)

Cargo Glider

LEVEL: Middle School (MS)

DIVISION(S): Grade 6 and Grades 7/8

COMPOSITION OF TEAM: 2-3 students per team

NUMBER OF TEAMS: Preliminary – Determined by your local MESA center

Regional – # of teams per division at the discretion of each region

(Northern/Central, LA/Central Coast, and Southern)

SPONSORS: Imperial Valley MESA College Prep

OVERVIEW: Change

Changes, if any, from "DRAFT" rules are highlighted in "yellow." Students will design and construct a glider capable of carrying the largest possible weight, in the form of hex nuts, while achieving the longest flight distance after being launched by the Launching Mechanism. The glider must successfully clear the designated obstacle. The glider must be the original work of each team. Judges may ask questions for verification. Participation logistics, limits, and competition facilities may vary by host site. Advisors and students are responsible for verifying this information with their local MESA center. Students should take into consideration the transportation of projects; competition ready projects must be transported safely to the competition site.

RESOURCE VIDEOS: Glider Competition Video 2024 - 2025

Cargo Glider Concepts

Overhead How To Build A Glider

LAB REPORT:

An **engineering lab report** is a required component of this competition that is meant to <u>clearly demonstrate</u> and <u>illustrate evidence of the application of the Engineering Design Process in the MESA project</u>. The purpose of the Engineering Lab Report is for students to better understand the process an engineer goes through in the creation of a project. MESA projects are not designed to be completed in a single class period or day, but to be the result of thoughtful research, planning, analysis and evaluation. Keeping a lab report throughout the design process will help to keep a designer on track, using a logical progression of planning, in order to develop their project efficiently.

For the Engineering Lab Report, electronic submission will be required. Teams should use an electronic portal/application such as Google Docs to keep and maintain a lab report. Access and permission to the lab report must then be given to MESA Day staff and judges OR lab report is submitted electronically (e.g., PDF file, WORD file) for review. Please check with your local MESA center for the deadline and submission platform to submit your team's lab report for local and for regional events. See "MESA Day 24-25 Engineering Lab Report Guidelines" at https://mesa.ucop.edu/.

MATERIALS:

LEGAL for glider: Various materials may be used to build the glider; materials are not limited to wood. Students should consider the strength of the material needed to withstand the force of the launcher. There is no restriction to the size and/or weight of the glider.

ILLEGAL for glider:

- Hazardous materials (to be determined by the host center)
- Remote control devices of any kind
- Additional power source(s) (i.e., thrust or lift) may NOT be supplied.


The Host Center will provide the following:

- 2 six-foot tables for the impound station
- 1 six-foot table for the repair station
- 1 six-foot <u>COSCO folding table</u> or equivalent for Official Launcher Mechanism
- Leg Support to increase incline of the Launcher Mechanism (LINK)
- Launcher will have a new rubber band after 70 uses with 15 initial uses to prime the rubber band.
- Safety goggles for team members and judge
- 3D Printed launcher adapter (optional to use)

GENERAL RULES:

- 1) The students' full name, grade level, school name, number of Hex Nuts and MESA center MUST be clearly labeled on the glider. A 10% penalty in the score will be assessed for failing to properly label. Gliders checked-in with a tie-on label will be required to launch having the label tied on.
- 2) The glider MUST contain an easily identifiable, prominent feature on the fuselage that adapts and connects with the launcher adapter or rubber band. Failure to follow this rule will result in a 10% penalty.
- 3) Teams must be able to show the number of Hex Nuts (i.e., cargo/payload) the glider contains to the judge during registration, and the glider must be labeled with the number of Hex nuts it is carrying.
 - a) The payload mass is defined as the total count of hex nuts secured within the glider, with a **minimum quantity of 2 hex nuts**.
 - b) The glider has no maximum number of Hex Nuts.
 - c) Teams cannot change the shape of the Hex Nuts in any way, that includes crushing, cutting, drilling, etc.

- d) Teams MUST use Everbilt 1/4 in.-20 Zinc Plated Hex Nut. (Link) Each Hex Nut has a total weight of 3.12 grams.
- e) Gluing or taping Hex Nuts to the glider or each other is acceptable as long as teams can show the judges that the Hex Nuts have not been modified and visible.
- Each Hex Nut after the required 2 hex nuts will add 2 in./5.08 cm to the total distance of the glider.



- 4) Teams may only register/turn-in one glider for the competition.
- 5) All repair materials and tools MUST be provided by each team when registering at check-in. A toolkit provided by a school representative is permitted.
- 6) For the purpose of this competition, a glider is defined as a self-contained flying vehicle that remains intact during flight. The glider cannot have links of any kind with the ground that provide lift, propulsion or course guidance during the flight.
- 7) The judges' decision regarding the location of the glider's first-touch point (i.e., landing location) is considered final and is not subject for debate.
 - a) Digital media (e.g., photos, video recordings, etc.) will not be accepted for judging purposes. All judging decisions are final.
- 8) Glider parts that break off during LANDING (i.e., upon initial impact with the ground or any object) are permissible but are not encouraged.
- 9) If parts of the glider break off DURING flight (i.e., while in flight) including the Hex Nuts (i.e., cargo/payload), the launch is considered a MISTRIAL. Flights that result in a mistrial are NOT eligible for points.
- 10) The glider MUST fly over the 60-inch (152.40 cm) obstacle and MUST stay within the 10-foot (3.048 m) width of the obstacle. For gliders that go outside this boundary or make contact with the obstacle, the launch is considered a MISTRIAL." (see Attachment C: Obstacle Specification)
 - a) If both launches are a MISTRIAL, the score will not be recorded.
- 11) The glider can be made from VARIOUS MATERIALS and have no restrictions on size or weight; however the glider MUST be capable of being launched by the official launcher and MUST have an identifiable fuselage, wing, and tail.
- 12) Additional power source(s) (i.e., thrust or lift) will NOT be supplied.
- 13) Remote-control (electronic) devices of any kind may not be used. If mechanical devices are used, these devices must be self-contained and may not provide any thrust to the glider.
- 14) Only team members can hold and repair their glider. The impound and repair station areas will be supervised by competition judges. Advisors, guardians, parents, and/or teachers are not allowed in the designated impound/ repair areas.
- 15) The glider and lab report must be the original work of the students.

JUDGING:

- 1) Gliders will be checked for specifications prior to the start of the competition. Teams that do not meet specifications after this initial check will have an opportunity to compete if they meet ALL of the following conditions:
 - a) Accept an automatic "Mistrial" and therefore no score for Launch #1.
 - b) Make repairs/modifications as necessary to bring the glider to proper specifications and be ready to compete when called for Launch #2.
 - c) Make repairs/modifications only in the designated area as indicated by the judges.
 - d) Failure to adhere to any of a, b, or c will result in disqualification.
- 2) Teams that meet the specification check but wish to make repairs and modifications may do so, but they MUST be ready to compete when called for Launch #1.
- 3) Each team will be allowed two (2) non-consecutive launches for their glider.
- 4) Each team MUST be ready and report to a judge within 1 minute of being called to launch their glider. Failure to report within 1 minute of being called will result in a forfeited trial/launch.
- 5) Each team will be given a 30 second window to set-up and then launch their glider.
- 6) The glider's first-touch point (contact with any object) will be marked by the judges.
- 7) Measurements will be taken perpendicular to the launching mechanism and the glider's first-touch point. Measurements will be to the nearest 2 cm (0.75 inches).
- 8) The decision of the judges on the location of the first-touch point is final and not up for debate.
- 9) Teams are responsible for removing their glider from the contest area immediately after judges have marked the first-touch point.
- 10) One member of each team will be asked to place their glider on the impound table (an area designated by the judges) or the repair station table after every trial.
- 11) All glider repairs and/or alterations MUST be made under the supervision of a judge. New/spare/replacement parts ARE NOT ALLOWED. **The number of Hex nuts must remain the same between launch 1 and 2.** Repairs or alterations can ONLY be made with parts originally used when the glider was submitted for specification checks. Glue and/or tape to affix broken pieces is ALLOWED.
- 12) Both trials will be timed (to be used as the tiebreaker only). Times will be recorded, at a minimum, to the nearest hundredth second. The timing of the flight ends when any part of the glider comes in contact with any object (first-touch point). In case of a tie, the longest flight duration (hang-time) will be used as a tiebreaker.

SCORING:

- 1) Performance Points (best of two launches)
 - a) Winning Performance (P_w) = team with the best distance from all teams in the same Division/Grade Level (receives 75 points)
 - b) Team Performance (P_t) = team's best distance (distance traveled + Hex Nuts) out of two launches
 - c) Team Performance Ratio = P_t divided by P_w
 - d) Team Performance Points = $P_t / P_w x 75$
- 2) Final Team Score = (Team Performance Points Penalties) + Engineering Lab Report Points

a) Since the glider penalties (see General Rules 1 and 2) will be **subtracted** from the performance points, the following will serve as an example of how judges will factor in penalties on MESA Day.

Team # 1 had a best overall distance of 15m, 4 Hex Nuts and did not receive a penalty. They scored 25 points for the Lab Report.

Number of Hex Nuts: 4

Best Team Distance = 1500cm + (2 * 5.08cm) = 1510.16 cm

Best Overall Distance = 1510.16cm

Performance Points = 1510.16/1510.16 = 1; $1 \times 75 = 75$ points

Penalties = None

Lab Report = 25 Points

Final Score = Performance Points - Penalties + Lab Report = 75 - 0 + 25 = 100

Team # 2 has a best team distance of 10m, 10 Hex Nuts, their glider is not properly labeled, and scored 15 points on the lab report

Number of Hex Nuts: 10

Best Team Distance = 1000cm + (8 * 5.08cm) = 1040.64 cm

Best Overall Distance = 1520.32cm

Performance Points = $1045.72/1510.16 = .69 \times 75 = 51.75$ points

Penalties = $(10\% \text{ for improper labeling}) 10\% \times 51.75 = 5.18$

Lab Report = 15 Points

Final Score = Performance Points - Penalties + Lab Report = 51.75 - 5.18 + 15 = 61.57 Points

3) **Tie Breaker**: if there is a tie among Final Scores, the glider with the longest flight time on the corresponding best launch will be the winner.

AWARDS:

- Teams who do not submit an Engineering Lab Report will NOT be eligible for any awards.
- Awards will be given per division: Grade 6 and Grades 7/8.
- Medals will be awarded for 1^{st} , 2^{nd} , and 3^{rd} place based on the Final Score.
- Ribbons will be awarded for Innovative Engineering Design.
- Only teams that place in the Final Score category will advance to Regional MESA Day; please check with your MESA center to determine the number of teams that advance to Regional MESA Day.

ATTACHMENTS/APPENDIX:

- A: Engineering Lab Report Mathematical Concepts
- B: Official Rubber Launcher Mechanism Specifications
- C: Obstacle Specification
- D: Course Layout
- E: Inspection and Score Sheet for Glider

A - ENGINEERING LAB REPORT MATHEMATICAL CONCEPTS

Use of mathematical concepts/equations: MESA has provided a set of equations to help you along the way. While these equations are not mandatory to use, they should provide a roadmap to completing the math concepts.

1. Lift Equations = Lift Coefficient
$$\times \frac{Air\ Density\ \times\ Velocity\ Squared}{2} \times Wing\ Area$$

2. Aspect Ratio = $\frac{Wing \ Length}{Wing \ Width}$

Applicable Math Concept/Equation (state concept/equation): Calculating Power

The lift coefficient can be calculated by multiplying the angle of attack (in this case 0.087(in radians) thanks to the launcher) by 2pi (3.14159); so, the lift coefficient is 0.547. The standard air density is 1.225 kg/m3. The velocity is calculated by dividing the distance traveled in the time it takes your glider to travel that far. All this is multiplied by the wing area. Wing area will vary based on shape. Please follow this <u>link</u> to use the appropriate formula.

Example: The wings on your glider are rectangular with a length of 3 meters and a width of 2 meters. Calculate the lift of your glider if it traveled 7 meters in 6 seconds.

$$Lift \ Coefficient \ \times \ \frac{Air\ Density \times Velocity\ Squared}{2} \ \times \ Wing\ Area$$

$$Lift = (0.547) \times \frac{1.225(kg/ms^{-3})x(\frac{7\ meters}{6\ second})^{-2}}{2} \times (3\ meters\ x\ 2\ meters)$$

$$Lift = (0.547) \times \frac{1.22kg/m^{-3} \times \frac{49m^{-2}}{36s^{-2}}}{2} \times 6m^{-2}$$

$$Lift = 0.547 \times (\frac{1.667\ kg/ms^{-2}}{2}) \times 6m^{-2}$$

$$Lift = 0.547 \times (0.834\ kg/ms^{-2}) \times 6m^{-2}$$

$$Lift = 2.737\ kg\frac{m}{c^2}$$

Applicable Math Concept/equation (state concept/equation): Calculating Aspect Ratio

An Aspect Ratio (AR) is written as follows 3:2. To calculate aspect ratio, simply measure the wing length and wing width. Afterwards, divide the length by the width.

$$Aspect\ Ratio\ =\ \frac{\textit{Wing Length}}{\textit{Wing Width}}$$


Example: If your wing width is 3 meters and your wing length is 27 meters after measuring, what is your glider's Aspect Ratio?

$$Aspect\ Ratio\ =\ \frac{Wing\ Length}{Wing\ Width}$$

$$AR\ =\ \frac{27\ meters}{3\ meters} \rightarrow AR\ =\ \frac{9\ meters}{1\ meters} \rightarrow AR\ =\ 9:1$$

B – OFFICIAL LAUNCHER MECHANISM SPECIFICATIONS


- 1. The only power source allowed for the glider to use is the rubber band provided by the host MESA center.
- 2. The official launcher mechanism consists of a folding table, a rubber band, and a set (2) of low profile clamps.
 - a. The <u>COSCO folding table</u> or equivalent has a size of 74.93 cm (29.50 inches) width, 147 cm (72 inches) in length and 73.99 cm (29.13 inches). The folding table is angled at 5 degrees with the addition of two 3D Printed leg supports. Link to support
 - b. The rubber band is a 1/4" Wide x 80" Circumference x 1/16" Thickness. It is available from McMaster-Carr, currently listed on https://www.mcmaster.com/8848T96 as part number 8848T96. The Rubber Band will be replaced after the 16th launch. Its final position will be up to the competitors discretion.
 - c. A set of low profile clamps (https://www.mcmaster.com/1705A11/) will be used to secure the rubber bands together. The clamps will be 60.96 cm (24 inches) apart from each other and placed towards the front of the folding table. The rubber band will be looped around.
 - d. Leg Support to increase incline of the Launcher Mechanism (LINK)
 - e. A 3D printed model will be used as an adapter. (Link) (OPTIONAL)





C - OBSTACLE SPECIFICATION

- 1. The obstacle measurements are 152.40 cm (60in) in height and 3.048 m (10ft) in width.
- 2. The obstacle is constructed by two 152.40 cm (60in) PVC pipes, string and a pair of fish-eye screws.
- 3. Nylon String was used to connect both PVC Pipes.
- 4. 5ft will be measured from the middle of the Nylon string.





D - COURSE LAYOUT

- 1. The layout of the competition is shown in the diagram below.
- 2. The distance from the edge of the table to the obstacle is 518.60cm (204in).
- 3. Click here to see a 3D model of the field.



E: INSPECTION AND SCORE SHEET FOR GLIDER

Middle School - Grade 6 and Grades 7/8

Copies of this inspection and score sheet will be provided by the MESA Day Host Center.

Student Names:					Grade: 6 or 7/8 (circle one)		
School:		<u>.</u>		ME	SA Center:	<u>.</u>	
Specification Checklist:				Yes	No		
Are the contestants' names, grade, school name, number of Hex Nuts, and MESA center clearly visible on the glider? (<i>if information is provided on a tie-on label—student MUST launch glider with label attached.</i>) - General Rule #1						10% Penalty	
Does the glider contain a feature that adapts to the launcher adapter or rubber band that is easily identifiable? - General Rule #2						10% Penalty	
Does the glider have the minimum quantity of 2 Hex Nuts (payload)?						DQ	
Is the glider capable of self-sustained flight without links to the ground for lift, propulsion or guidance? -General Rule #6						DQ	
Glider has an easily identifiable fuselage, wing, and tail? General Rule #11						DQ	
Does the glider use remote controls? General Rule #13					DQ		
Will stored energy be used after the initial launch for thrust or lift? (batteries, rubber band, etc.) - General Rule #12				DQ			
Overall Specification Check				Pass	Fail		
Engineering Lab Report					Points		
Points Scored (25 pt maximum)							
Performance: Measure to the nearest 2cm (.75in)							
Distance (Glider's 1st Touch-point w/ ground or other obstruction):					If the launch is disqualified, considered a Mistrial or none please indicate it below:		
1st Launch:	x 2in or 5.08 cm =			\top	Disqualified / Mistrial / None		
2nd Launch:	x 2in or 5.08 cm =			Disqualified / Mistrial / None			
Reasons for Glider Disqualification(s):				sons for Launch Mistrial:			
				Glide	lider part(s) break-off during flight		
The glider must be capable of being lau have an identifiable fuselage, wing, and				Glide	er goes outside the bou	ındary of the obstacle	
Hang Time (needed for tiebreaker)			Best TEAM Performance				
1st Launch Flight Time:			Best WINNING Performance (from same division/grade leve				
2nd Launch Flight Time:			Performance Ratio (TEAM / WINNING) = Performance Ratio x 75 = Performance Points				
Engineering Lab Report Submitted: Yes No Teams who do not submit an Engineering Lab Report will NOT be eligible for any awards.			Glider Penalties (0, 10% or 20%) =				
			Performance Points - Glider Penalties + Lab Report Pts = FINAL SCORE				
					TINAL 3CC	/\L	