

MESA DAY CONTEST RULES 2021-2022

(DRAFT)

Cargo Glider

LEVEL: Middle School (MS)

DIVISION(S): Grade 6 and Grades 7/8

COMPOSITION OF TEAM: 2-3 students per team

NUMBER OF TEAMS: Preliminary – Determined by your local MESA center

Regional – # of teams per division at the discretion of each region

(Northern, Central, LA Metro and Southern)

SPONSORS: Imperial Valley MESA College Prep

OVERVIEW: Students will design and construct a glider with a payload that, when launched by a

Launching Mechanism, flies through the air, goes over an obstacle and lands the farthest. The glider must be the original work of each team. Judges may ask questions for verification. Participation logistics, limits, and competition facilities may vary by host site. Advisors and students are responsible for verifying this

information with their local MESA center.

An engineering lab book is a required component of this competition. The purpose of the Engineering Lab Book is for students to better understand the process an engineer goes through in the creation of a project. MESA projects are not designed to be completed in a single class period or day, but to be the result of thoughtful research, planning, analysis and evaluation. Keeping a lab book throughout the design process will help to keep a designer on track, using a logical progression of planning, in order to develop their project efficiently.

MATERIALS: LEGAL: Various materials may be used to build the glider; materials are not

limited to wood. Students should consider the strength of the material needed to withstand the force of the launcher. There is no restriction to the size and/or

weight of the glider.

ILLEGAL:

- Hazardous materials (to be determined by the host center)
- Remote control devices of any kind

Additional power source(s) (i.e., thrust, lift or stored energy that assists dynamic flight) may NOT be supplied.

For the Engineering Lab Book, electronic submission will be required. Teams should use an electronic portal/application such as Google Docs to keep and maintain a lab book. Access and permission to the lab book must then be given to MESA Day staff and judges OR lab book is submitted electronically (e.g., PDF file, WORD file) for review. Please check with your local MESA center for the deadline and submission platform to submit your team's lab book for local and for regional events. See "MESA Day 21_22 Engineering Lab Book Guidelines" at https://mesa.ucop.edu/.

The Host Center will provide the following:

- 2 six-foot tables for the impound station
- 1 six-foot table for the repair station
- 1 six-foot COSCO folding table or equivalent for Official Launcher Mechanism
- Two rubber band catapults as described in these rules; one launcher will serve as back-up. Each launcher will have a new rubber band after 16 uses.
- Safety goggles for team members and judge

GENERAL RULES:

- 1) The students' full name, grade level, school name, and MESA center MUST be clearly labeled on the glider. A 10% penalty in the score will be assessed for failing to properly label. Gliders checked-in with a tie-on label will be required to launch having the label tied on.
- 2) The glider MUST contain an easily identifiable, prominent feature on the fuselage that adapts and connects with the launcher. The adaptation MUST be identified by a red dot. Failure to label the glider's adaptation with a red dot will result in a 10% penalty to the final score.
- 3) Teams must be able to show the number of ping pong balls (i.e., cargo/payload) the glider contains to the judge during registration.
 - a. The amount of ping pong balls the glider MUST have is 4 for all grades.
 - b. Teams cannot change the shape of the ping pong balls in any way, that includes crushing, cutting, drilling, etc.
 - c. Teams MUST use 1 star rated ping pong balls.
 - d. Gluing or taping balls to the glider or each other is acceptable as long as teams can show the judges that balls have not been modified and the ITTF (International Table Tennis Federation) marking is visible.
- 4) Teams may only register/turn-in one glider for the competition.
- 5) All repair materials and tools MUST be provided by each team when registering at check-in. A toolkit provided by a school representative is permitted.
- 6) For the purpose of this competition, a glider is defined as a self-contained flying vehicle that remains intact during flight. The glider cannot have links of any kind with the ground that provide lift, propulsion or course guidance during the flight.
- 7) Glider parts that break off during LANDING (i.e., upon initial impact with the ground or any object) are permissible but are not encouraged.

- 8) If parts of the glider break off DURING flight (i.e. while in flight) including the ping pong balls (i.e., cargo/payload), the launch is considered a MISTRIAL. Flights that result in a mistrial are NOT eligible for points.
- 9) The glider MUST fly over the 60-inch obstacle and MUST stay within the 10-foot width of the obstacle. For gliders that go outside this boundary, the launch is considered a MISTRIAL." (see Attachment C: Obstacle Specification)
 - a. If both launches are a MISTRIAL, the score will not be recorded.
- 10) The glider can be made from various materials and have no restrictions on size or weight, however the glider MUST be capable of being launched by the official launcher and MUST have an identifiable fuselage, wing, and tail. Gliders without the required components will be DISOUALIFIED.
- 11) Remote-control (electronic) devices of any kind may not be used. If mechanical devices are used, these devices must be self-contained and may not provide any thrust to the glider.
- 12) Additional power source(s) (i.e., thrust, lift or stored energy that assists dynamic flight) may NOT be supplied. The only power source allowed is the official glider launcher.
- 13) The judges' decision regarding the location of the glider's first-touch point (i.e., landing location) is considered final and is not subject for debate. Digital media (e.g., photos, video recordings, etc.) will not be accepted for arbitration purposes.
- 14) Only team members can hold and repair their glider. The impound and repair station areas will be supervised by competition judges. Advisors, guardians, parents, and/or teachers are not allowed in the designated impound/ repair areas.
- 15) The lab book is meant to clearly demonstrate and illustrate evidence of the application of the Engineering Design Process in the MESA project.

JUDGING:

- 1) Gliders will be checked for specifications prior to the start of the competition. Teams that do meet specifications after this initial check will have an opportunity to compete if they meet ALL of the following conditions:
 - a. Accept an automatic "Mistrial" and therefore no score for Launch #1.
 - b. Make repairs/modifications as necessary to bring the device to proper specifications and be ready to compete when called for Launch #2.
 - c. Make repairs/modifications only in the designated area as indicated by the judges.
 - d. Failure to adhere to any of a, b, or c will result in the disqualification being upheld
- 2) Teams that meet the specification check but wish to make repairs and modifications may do so, but they MUST be ready to compete when called for Launch #1.
- 3) Each team MUST be ready and report to a judge within 30-seconds of being called to launch their glider. Failure to report within 30-seconds of being called will result in a forfeited trial/launch.
- 4) Each team will have two non-consecutive opportunities for their glider to be launched. Teams will be given a 1-minute window to set-up their glider.
- 5) Judges will give each team a 5-second countdown prior to the team member releasing the glider in order to initiate flight.
- 6) Gliders MUST not be pulled back more than 36in from the edge of the launching mechanism to be considered a successful launch.
- 7) The glider's first-touch point (contact with any object) will be marked by the judges.
- 8) Measurements will be taken perpendicular to the launching mechanism and the glider's first-touch point. Measurements will be to the nearest 2 cm (0.75 inches).

- 9) The decision of the judges on the location of the first-touch point is final and not up for debate.
- 10) Teams are responsible for removing their glider from the contest area immediately after judges have marked the first-touch point.
- 11) One member of each team will be asked to place their glider on the impound table (an area designated by the judges) or the repair station table after every trial.
- 12) All glider repairs and/or alterations MUST be made under the supervision of a judge. New/spare/replacement parts ARE NOT ALLOWED. Repairs or alterations can ONLY be made with parts originally used when the glider was submitted for specification checks. Glue and/or tape to affix broken pieces is ALLOWED.
- 13) Both trials will be timed (to be used as the tiebreaker only). Times will be recorded, at a minimum, to the nearest hundredth second. The timing of the flight ends when any part of the glider comes in contact with any object (first-touch point). In case of a tie, the longest flight duration (hang-time) will be used as a tiebreaker.

SCORING:

- 1) Launch #1 = Distance after first launch
- 2) Launch #2 = Distance after second launch
- 3) A deduction of 20% of the team score will be assessed for an incomplete lab book and a deduction of 50% of the final score will be assessed for a missing lab book.
- 4) Final Score = Best launch **minus** (-) possible penalties
 - a. Since the penalties from the lab book and proper labeling will be **subtracted** from the final score, the following will serve as an example of how judges will factor in penalties on MESA Day.

Team # 1 had a best launch of 15m and did not receive a penalty (they turned in their engineering lab book and all competition related materials are properly labeled).

Best Launch = 15m

Number of Ping Pong Balls: 4

Penalties = None

Final Score = 15m

Team # 2 has a best launch of 10m and they did not turn in their engineering lab book and their glider is not properly labeled.

Best Launch = 10m

Number of Ping Pong Balls: 4

Penalties Total = 50% for missing lab book (-5m), 10% for improper labeling (-1m)

= 6m

Final Score = 10 meters - 6 meters from penalties = 4 meters

5) **Tie Breaker**: if there is a tie among Final Scores, the glider with the longest flight time on the corresponding best launch will be the winner.

AWARDS:

- Awards will be given per division: Grade 6 and Grades 7/8.
- Medals will be awarded for 1^{st} , 2^{nd} , and 3^{rd} place based on the Final Score.
- Ribbons will be awarded for Innovative Engineering Design.

 Only teams that place in the Final Score category will advance to Regional MESA Day; please check with your MESA center to determine the number of teams that advance to Regional MESA Day.

ATTACHMENTS/APPENDIX:

- A: Engineering Lab Book Mathematical Concepts
- B: Official Rubber Launcher Mechanism Specifications
- C: Obstacle Specification
- D: Course Layout
- E: Inspection and Score Sheet for Glider

A - ENGINEERING LAB BOOK MATHEMATICAL CONCEPTS

Use of mathematical concepts/equations: MESA has provided a set of equations to help you along the way. While these equations are not mandatory to use, they should provide a roadmap to completing the math concepts.

1. Lift Equations = Lift Coefficient
$$\times \frac{Air\ Density\ \times\ Velocity\ Squared}{2} \times Wing\ Area$$

2. Aspect Ratio = $\frac{Wing \ Length}{Wing \ Width}$

Applicable Math Concept/Equation (state concept/equation): Calculating Power

The lift coefficient can be calculated by multiplying the angle of attack (in this case 0.087(in radians) thanks to the launcher) by 2pi (3.14159); so, the lift coefficient is 0.547. The standard air density is 1.225 kg/m3. The velocity is calculated by dividing the distance traveled in the time it takes your glider to travel that far. All this is multiplied by the wing area. Wing area will vary based on shape. Please follow this <u>link</u> to use the appropriate formula.

Example: The wings on your glider are rectangular with a length of 3 meters and a width of 2 meters. Calculate the lift of your glider if it traveled 7 meters in 6 seconds.

$$Lift \ Coefficient \ \times \ \frac{Air\ Density \times Velocity\ Squared}{2} \ \times \ Wing\ Area$$

$$Lift = (0.547) \times \frac{1.225(kg/ms^{-3})x(\frac{7\ meters}{6\ second})^{-2}}{2} \times (3\ meters\ x\ 2\ meters)$$

$$Lift = (0.547) \times \frac{1.22kg/m^{-3} \times \frac{49m^{-2}}{36s^{-2}}}{2} \times 6m^{-2}$$

$$Lift = 0.547 \times (\frac{1.667\ kg/ms^{-2}}{2}) \times 6m^{-2}$$

$$Lift = 0.547 \times (0.834\ kg/ms^{-2}) \times 6m^{-2}$$

$$Lift = 2.737\ m/s^{-2}$$

Applicable Math Concept/equation (state concept/equation): Calculating Aspect Ratio

An Aspect Ratio (AR) is written as follows 3:2. To calculate aspect ratio, simply measure the wing length and wing width. Afterwards, divide the length by the width.

$$Aspect\ Ratio\ =\ \frac{\textit{Wing Length}}{\textit{Wing Width}}$$


Example: If your wing width is 3 meters and your wing length is 27 meters after measuring, what is your glider's Aspect Ratio?

$$Aspect\ Ratio\ =\ \frac{Wing\ Length}{Wing\ Width}$$

$$AR\ =\ \frac{27\ meters}{3\ meters} \rightarrow AR\ =\ \frac{9\ meters}{1\ meters} \rightarrow AR\ =\ 9:1$$

B – OFFICIAL LAUNCHER MECHANISM SPECIFICATIONS


- 1. The only power source allowed for the glider to use is the rubber band provided by the host MESA center.
- 2. The official launcher mechanism consists of a folding table, a rubber band, and a set (2) of low profile clamps.
 - a. The <u>COSCO folding table</u> or equivalent has a size of 74.93 cm (29.50 inches) width, 147 cm (72 inches) in length and 73.99 cm (29.13 inches). The folding table is angled at 0 degrees.
 - b. The rubber band is a 1/4" Wide x 80" Circumference x 1/16" Thickness. It is available from McMaster-Carr, currently listed on https://www.mcmaster.com/8848T96/ as part number 8848T96. The Rubber Band will be replaced after the 16th launch. Its final position will be up to the competitors discretion.
 - c. A set of low profile clamps (https://www.mcmaster.com/1705A11/) will be used to secure the rubber bands together. The clamps will be 60.96 cm (24 inches) apart from each other and placed towards the front of the folding table. The rubber band will be looped around.





C - OBSTACLE SPECIFICATION


- 1. The obstacle measurements are 152.40 cm (60in) in height and 3.048 m (10ft) in width.
- 2. The obstacle is constructed by two 152.40 cm (60in) PVC pipes, string and a pair of fish-eye screws.
- 3. Nylon String was used to connect both PVC Pipes.
- 4. 5ft will be measured from the middle of the Nylon string.





D - COURSE LAYOUT

- 1. The layout of the competition is shown in the diagram below.
- 2. The distance from the edge of the table to the obstacle is 350.52cm (138in).



E: INSPECTION AND SCORE SHEET FOR GLIDER

Middle School - Grade 6 and Grades 7/8

Copies of this inspection and score sheet will be provided by the MESA Day Host Center.

Student Names:				Grade: 6 or 7/8 (circle one) 6A Center:		
Specification Checklist:				Yes	No	
Are the contestants' names, grade, school name, and center clearly visible on the glider? (<i>if information is provided on a tie-on label—student MUST launch glider with label attached.</i>) - General Rule #1					10% Penalty	
Does the glider contain a feature that adapts to the launch hook that is easily identifiable by a red dot? - General Rule #2					10% Penalty	
Does the glider have the correct amount of ping pong balls (payload)?					DQ	
Is the glider capable of self-sustained flight without links to the ground for lift, propulsion or guidance? -General Rule #6					DQ	
Glider has an easily identifiable fuselage, wing, and tail? General Rule #9					DQ	
Does the glider use remote controls? General Rule #10				DQ		
Will stored energy be used after the initial launch? (thrust, motors, batteries, etc.) - General Rule #11				DQ		
Overall Specification Check				Pass	Fail	
Engineering Lab Book				Yes	No	
ls this considered an incomplete lab book? (per Engineering Lab Book Guidelines)				20% Penalty		
ls this considered a missing lab book? (per Engineering Lab Book Guidelines)				50% Penalty + Cannot place		
Performance Test : Measure to the nearest 2cm (.75in)						
Distance to Target's Center & Glider's	Does the Glider have the correct amount of If th Payload? (4)			he launch is disqualified, considered a strial or none please indicate it below:		
1st Launch:	Yes / No			Disqualified / Mistrial / None		
2nd Launch:	Yes / No			Disqualified / Mistrial / None		
Reasons for Glider Disqualification(s):			Reasor	Reasons for Launch Mistrial:		
Missing Ping Pong balls. (See rule #1 under Judging)			Glider p	lider part(s) break-off during flight		
The glider must be capable of being launched on the launch ramp by the hook and must have an identifiable fuselage, wing, and tail. (See rule #1 under Judging) obsta				der goes outside the boundary of the stacle		
Hang Time (needed for tiebreaker)	Best Launch Distance					
1st Launch Flight Time:	Penalty 1					
2nd Launch Flight Time:	Penalty 2 FINAL SCORE =					

MESA DAY CONTEST RULES 2021-2022 (DRAFT)

©University of California Regents

These rules are for the internal use of MESA staff and teachers only and should not be forwarded or used outside of MESA.